

Wisconsin Geological and Natural History Survey
Miscellaneous Map 40 1997
Groundwater Quality Investigation Maps
of Trempealeau County, Wisconsin
Plate 5

A part of the Trempealeau County Groundwater Resource Investigation,
a joint project of the Wisconsin Geological and Natural History Survey
and the Trempealeau County Board of Supervisors.

Compiled by M.S. Bridson
Automation by K.C. Roushar, K. Barrett, N.H. Richardson
Edited by K.J. Cates

EXPLANATION

340 electrical conductivity of water sample, in $\mu\text{mhos/cm}$

GEOLOGIC MATERIALS CONTRIBUTING WATER TO WELL BY SOURCE OF DATA

FROM WELL CONSTRUCTOR'S REPORT ^a	INFERRED FROM HOMEOWNER INFORMATION OR WELL CONSTRUCTOR'S REPORTS FROM NEARBY WELLS
○ sandstone	● sandstone
● sand or sand and gravel	● sand or sand and gravel
● shale or shale and sandstone	● shale or shale and sandstone
● carbonate* or carbonate and sandstone	● carbonate* or carbonate and sandstone

^aWell Constructor's Report represents the most probable match of a Wisconsin Department of Natural Resources Well Constructor's Report on file at the Wisconsin Geological and Natural History Survey to the sampled well on the basis of information provided by the homeowner, the location of the well as reported by the well driller, land-ownership information from plat books, and building locations as shown on U.S. Geological Survey 7.5-minute topographic maps.

*limestone and/or dolomite

NOTE: In areas where sampled wells with the same map symbol are too close together for the symbols to be clearly identified, one symbol is used, and the water-quality results are next to the combined symbol. However, if the map symbols are different, then two slightly separated symbols are shown, and water-quality results are next to each symbol.

Samples were collected June 1992 through August 1993 by J. Maliszewski under the supervision of P. Malone (Trempealeau County Extension Office) and were frozen prior to analysis. Chemical analyses were performed July 1992 through July 1994 by K.L. Lund (Wisconsin Geological and Natural History Survey).

Analytical method used: self-contained conductivity meter.

Reference: Standard Methods for the Examination of Water and Wastewater, 16th edition, 1985, American Public Health Association, American Water Works Association, and Water Pollution Control Federation, p. 76–80.

Reproducibility: $\pm 2\%$ at 50–1000 $\mu\text{mhos/cm}$, detection limit, 0.1 $\mu\text{mhos/cm}$.




Published by and available from
Wisconsin Geological and Natural History Survey
3817 Mineral Point Road • Madison, WI 53705-5100
James M. Robertson, Director and State Geologist



This map is an interpretation of the data available at the time of preparation. Every reasonable effort has been made to ensure that this interpretation conforms to sound scientific and cartographic principles; however, the map should not be used to guide site-specific decisions without verification. Proper use of the map is the sole responsibility of the user.

Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, University of Wisconsin-Extension, Cooperative Extension. University of Wisconsin-Extension provides equal opportunities in employment and programming, including Title IX and ADA requirements. If you need this information in an alternative format, contact the Office of Equal Opportunity and Diversity Programs or the Wisconsin Geological and Natural History Survey (telephone 608/262.1705).

Plate 5 Laboratory measurement of electrical conductivity in $\mu\text{mhos/cm}$



Base map from U.S. Geological Survey County Map Series (Topographic), 1985.